

# CAR HEALTH MONITORING SYSTEM USING ARDUINO

MOHD FAIZAL BIN ZULKEFFALI

BACHELOR OF COMPUTER SCIENCE  
(COMPUTER SYSTEMS & NETWORKING)  
UNIVERSITI MALAYSIA PAHANG



## **SUPERVISOR'S DECLARATION**

I/We\* hereby declare that I/We\* have checked this thesis/project\* and in my/our\* opinion, this thesis/project\* is adequate in terms of scope and quality for the award of the degree of Bachelor of Computer Science (Computer Systems & Networking)

---

(Supervisor's Signature)

Full Name :

Position :

Date :



## **STUDENT'S DECLARATION**

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

---

(Student's Signature)

Full Name : MOHD FAIZAL BIN ZULKEFFALI

ID Number : CA15053

Date : 09 JANUARY 2019

# CAR HEALTH MONITORING SYSTEM USING ARDUINO

MOHD FAIZAL BIN ZULKEFFALI

Thesis submitted in fulfillment of the requirements  
for the award of the degree of  
Bachelor of Computer Science (Computer Systems & Networking)  
with Honours

Faculty of Computer Systems & Software Engineering  
UNIVERSITI MALAYSIA PAHANG

JANUARY 2019

## **ACKNOWLEDGEMENTS**

All praises to the Almighty ALLAH S.W.T for His blessing which has given me strength, patience, and wisdom and ability during the final year project developing period. Sincere thanks to the God for giving the opportunity to complete this project on time.

I am highly indebted to my supervisor, Dr. Noorlin Binti Mohd Ali her encouragement in carrying out this project, exceptional guidance, outstanding advice and insightful comments. I would extremely thankful to her for providing me such a nice support in my project and provide a lot of useful ideas during this period.

Also, special thanks go towards my friends for sharing their valuable ideas and support to assist myself to succeed in this project. I heartily thank to all lecturers and friends that have support and guided me throughout the completion of this project. Moreover, I am very grateful to my family and wife for their endless love and support.

## ABSTRAK

Kereta telah menjadi pengangkutan harian utama di Malaysia. Penyelenggaraan kereta tetap merupakan salah satu prosedur utama untuk mengekalkan prestasinya. Di samping itu, penyelenggaraan yang baik dapat mengurangkan risiko masalah kereta yang mungkin menjejaskan keselamatan pemandu dan penumpang semasa perjalanan dan mengurangkan perbelanjaan untuk membaiki. Penjagaan kereta yang baik boleh memberi ganjaran kepada pemilik dari segi masa, wang dan keselamatan. Dalam tempoh selang waktu, ia adalah tanggungjawab pemilik kereta untuk memantau keadaan kereta. Masalah enjin biasanya bermula dengan petunjuk kecil, peristiwa bunyi atau tidak teratur. Dalam memantau petunjuk tersebut, sistem pemberitahuan dikenali sebagai salah satu kaedah yang baik. Kini, telefon pintar menjadi penting dalam membantu kehidupan manusia. Oleh itu, projek ini bertujuan untuk membangunkan aplikasi mudah alih berasaskan android untuk memantau keadaan kereta di mana ia akan memaklumkan kepada pemilik mengenai pemanasan enjin kereta yang berlebihan. Metodologi yang telah dilaksanakan dalam projek ini ialah Pembangunan Aplikasi Rapid (RAD) yang mempunyai empat fasa termasuk perancangan keperluan, reka bentuk pengguna, fasa pembinaan dan pemotongan. Projek ini dibangunkan berdasarkan model yang dicadangkan untuk pemantauan pemanasan motor yang berkesan. Sistem ini menggunakan Arduino dan React Native untuk aplikasi mudah alih yang digunakan untuk memisahkan parameter yang berbeza; yakni pemanasan motor untuk memastikan pemanduan dilindungi dan selalu berhati-hati. Data suhu terkumpul yang dihantar melalui internet akan diterima oleh pemilik mekanik dan kereta dengan menggunakan aplikasi tersebut. Unit perkakasan melibatkan Arduino, modul Bluetooth, LCD (Paparan Kristal Cecair), telefon pintar berasaskan android, sensor suhu dan modul pengesan parameter tertentu. Aplikasi ini diuji berdasarkan Ujian Penerimaan Pengguna dengan pelanggan dengan menguji sambungan bluetooth antara Arduino dan telefon pintar android, melihat hasil data masa sebenar yang disimpan dalam pangkalan data dengan memaparkan semua data yang diperolehi pada telefon pintar. Kesimpulannya, diharapkan projek ini dapat menyumbang kepada klien saya dan orang lain untuk meningkatkan gaya hidup mereka dalam menggunakan teknologi baru.

## **ABSTRACT**

Car has become main daily transportations in Malaysia. Regular car maintenance is one of the key procedures to sustain its performance. In addition, good maintenance able to reduce the risk of car problems which might affect drivers and passengers safety while traveling and reduce the expenses for repairing. Good car care can rewards the owner in term of time, money and safety. In the interval duration, it is the car owner responsibility to monitor the car condition. The problem of machine will normally start with small indication, sound or irregular events. In monitoring such indications, notification system is known as one of the good methods. Nowadays, smartphones turn out to be essentials in assisting human life. Therefore, this project aim to develop an android based mobile application to monitor the car condition where it will notify the owner about the excessive heating of car engine. The methodology that has been implemented in this project is Rapid Application Development (RAD) that have four phases including requirements planning, user design, construction and cutover phases. This project is developed based on a proposed model for effective monitoring of motor heating. The system implemented an Arduino and React Native for mobile application which used to separate different parameters; i.e. motor heating to ensure the driving is protected and always cautious. The collected temperatures data which are sent through internet will be received by mechanic and car owner by using the application. The hardware unit involves Arduino, Bluetooth module, LCD (Liquid Crystal Display), android based smartphone, temperature sensor and particular parameter checking sensors module. The application is tested based on User Acceptance Test with the client by test the bluetooth connection between Arduino and android smartphone , view the real time data result stored in database by display all of the data retrieve on smartphone. In conclusion, it is hope this project can contribute to my client and other people to improve their lifestyle in using new technology.

## **TABLE OF CONTENT**

<b>DECLARATION</b>	
<b>TITLE PAGE</b>	
<b>ACKNOWLEDGEMENTS</b>	<b>ii</b>
<b>ABSTRAK</b>	<b>iii</b>
<b>ABSTRACT</b>	<b>iv</b>
<b>TABLE OF CONTENT</b>	<b>v</b>
<b>LIST OF TABLES</b>	<b>ix</b>
<b>LIST OF FIGURES</b>	<b>x</b>
<b>LIST OF SYMBOLS</b>	<b>xii</b>
<b>LIST OF ABBREVIATIONS</b>	<b>xiii</b>
<b>CHAPTER 1 INTRODUCTION</b>	<b>1</b>
1.1 Background	1
1.2 Problem Statement	2
1.3 Objective	2
1.4 Scope	2
1.5 Thesis Organization	3
<b>CHAPTER 2 LITERATURE REVIEW</b>	<b>4</b>
2.1 Introduction	4
2.2 Functionality	4
2.3 Technologies For Monitoring The Real Time Car Health Using Sensor	5
2.4 Temperature Sensor	5
2.5 Waterflow Sensor	5



2.6	Humidity Sensor	5
2.7	Mechanical Sensor	5
2.8	Ultrasonic	6
2.8.1	Ultrasonic Definition	6
2.8.2	Ultrasonic Sensor	6
2.9	Overview Of Microcontroller Arduino Compatible	6
2.9.1	Arduino (Maker-UNO)	6
2.10	Comparison Between Hardware	7
2.11	Overview Of Similar Project	8
2.11.1	Real Time Monitoring Of Vital Health Parameters Of The Vehicle	8
2.11.2	Project 7 Analog Sensor: Range Using Analog Distance Sensor	8
2.11.3	Line Follower Robot With Android	9
2.11.4	Arduino android based ultrasonic distance meter with buzzer indication	11
2.12	Comparison Between Hybrid Apps And Native Web Application	12
2.13	Comparison Of Three Existing System & Proposed System	12
<b>CHAPTER 3 METHODOLOGY</b>		<b>14</b>
3.1	Introduction	14
3.2	Methodology	15
3.3	Preliminary Design	17
3.3.1	Block Diagram of System Architecture	17
3.3.2	Printed Circuit Board	18
3.3.3	Flow Chart	19
3.3.4	Context Diagram	20
3.3.5	Use Case Diagram	20

3.3.6	Dialogue Diagram	21
3.3.7	Data Dictionary	23
3.3.8	Graphical User Interface (GUI)	24
3.4	Tool Requirement	25
3.4.1	Hardware Requirement	25
3.4.2	Software Requirement	28
3.5	Checking And Testing	29
3.5.1	Checking	29
3.5.2	Testing	29
3.6	Summary	29
<b>CHAPTER 4 IMPLEMENTATION, TESTING AND RESULTS</b>		<b>30</b>
4.1	Introduction	30
4.2	Requirement For The Implementation Process	30
4.3	Implementation Of The Hardware	31
4.3.1	Bluetooth Connection Implementation	32
4.3.2	LCD(Liquid Crystal Display) and Temperature LM35 Sensor Implementation	32
4.4	The Implementation Of Software	35
4.4.1	Development of Mobile Application	35
4.4.2	The implementation of Database	40
4.5	Testing	41
4.5.1	The System Testing Approval Form and User Acceptance Test(UAT)	41
4.6	Results	42
<b>CHAPTER 5 CONCLUSION AND FUTURE WORK</b>		<b>43</b>

5.1	Introduction	43
5.2	Advantages and Disadvantages	43
5.3	Constraint Of The Projects	43
5.4	Future Work	44
5.5	Conclusion	44
	<b>REFERENCES</b>	<b>45</b>
	<b>APPENDIX A GANTT CHART</b>	<b>47</b>
	<b>APPENDIX B User Acceptance Test ( UAT) Form</b>	<b>48</b>

## **LIST OF TABLES**

Table 2.1 Comparison between hardware	7
Table 2.2 Shows the comparison between Native Apps, Hybrid Apps and Mobile Apps.	12
Table 2.3 Comparison between three existing project and proposed project	13
Table 3.1 User Table	23
Table 3.2 History Table	23
Table 3.3 List of Hardware	25
Table 3.4 Product Specification and Limitations	27
Table 3.5 List Of Software Requirements	28

## LIST OF FIGURES

Figure 2.1 Maker UNO Board	7
Figure 2.2 Hardware implementation of the tyre monitoring system	8
Figure 2.3 Project Prototype Analog Sensor: Range Using Analog Distance Sensor	9
Figure 2.4 Line Follower Robot With Android	10
Figure 2.5 Project devices	11
Figure 2.6 Project Block Diagram	11
Figure 3.1 The four phases of the RAD model	15
Figure 3.2 The Proposed Block Diagram for Car Health Monitoring System using Aduino	18
Figure 3.3 Circuit Diagram of the Car Health Monitoring System Using Arduino	18
Figure 3.4 Flow Chart Diagram	19
Figure 3.5 Context Diagram	20
Figure 3.6 Use Case Diagram	21
Figure 3.7 Dialogue Diagram	22
Figure 3.8 Mobile application main menu	24
Figure 3.9 Analysis and logged temperature data	25
Figure 3.11 Maker UNO - Arduino UNO Compatible board	26
Figure 3.12 LM35 Temperature Sensor read in °C	26
Figure 3.13 Bluetooth (HC-05)	26
Figure 3.14 LCD( Liquid Crystal Display) 2x16	27
Figure 3.15 Potential Meter 10K	27
Figure 4.1 List of library used in IDE for the prototype	31
Figure 4.2 Bluetooth Connection code	32
Figure 4.3 Output Code for LCD from Temperature Sensor	33
Figure 4.4 Code to Integrate with Blynk and Send the data to Firebase Server	34
Figure 4.5 Install The Expo CLI Command Line Utility	35
Figure 4.6 create a new React Native project called "AwesomeProject"	36
Figure 4.7 Node.Js command prompt to run the application Project on Expo	36
Figure 4.8 Barcode to open the Application on the smartphone	37
Figure 4.9 Main Menu Mobile Application Interface	38
Figure 4.10 Real Time Data from Server Interface with data analytics	38
Figure 4.11 Code to Firebase Database Server made Decision	39
Figure 4.12 User Token Device Data	40
Figure 4.13 Sample Temperature data store in Database	41



## LIST OF SYMBOLS

°C	Celcius
A	Ampere
V	Voltage
mA	Mili Ampere

## LIST OF ABBREVIATIONS

V	Voltage
MHz	Megahertz
Khz	Kilohertz
UML	Unified Modelling Language
IDE	Integrated Development Environment
USB	Universal Serial Bus
RAD	Rapid Application Development
RESTful	Representational State Transfer
API	Application programming interface
LCD	Liquid Crystal Display



## **CHAPTER 1**

### **INTRODUCTION**

#### **1.1 Background**

The increasing number of cars day by day is very challenging to solve problems for routine maintenance or repair of vehicles. The aggregate vehicle deals increased 41% to 68,465 units in July from 48,533 units in the Malaysia (“Malaysia vehicle sales in July second highest in auto industry - Business News | The Star Online,” n.d.). Realize with the expansion number of car alongside with different type of transportation an issues related to the safety, improving the travel reliability and reduce cost in maintaining of the car owner are playing an important role. To counter this issues, the driver information plays an important role in supporting the needs of the issues. The car driver information can be continuous data on vehicle performance and the status of the internal components.

Therefore, the prototype of Car Health Monitoring System Using Arduino detector capable of assisting the process of measuring the temperature of an engine to warns the user about the overheating engine using temperature sensor is developed. The radio frequency technology that is bluetooth module on the prototype device via android smartphone application bluetooth connection module and the approach using RESTful API to communicate two software with each other by using custom mobile application development is developed.

The developed prototype device functioning by giving a value reading when the temperature sensor measure the temperature through the electrical signal and display the value on LCD display or on smartphone display via bluetooth . The data collected from the temperature sensor will compared with the standard temperature values. Beside that, the prototype can do a realtime monitoring on the smartphone by read the current status of temperature and store the data in the database. The exceed value of temperature will warn the user on smartphone. Once the temperature is varies, the data is sent to control

system. The control system acts as a vehicle notification center, where its primary role is to inform the driver through the application that has been installed on the driver smartphone device to repair their car as soon as possible which helps in improving the lifespan of the vehicle.

## **1.2 Problem Statement**

Cars are the most widely used vehicles on the road. However not all users have high knowledge in car care. Drive a car to the workshop for maintainance is the best way for those who are not skilled in the process of vehicle maintenance. However, safety and cost are also the key factors that are always being emphasized by vehicle users. This is because, the vehicle is at a level that is below than satisfactory performance will negatively impact the consumer safety and other road vehicle drivers to involve with the accidents that can lead to loss of life while affect the costs to be borne by vehicle owners when the critical damage to the vehicle is used to cause more value for money for them to repair their vehicle.

## **1.3 Objective**

The objective of this project are :

- i. To study the technologies in implementing the real-time measurement on vehicle condition using Arduino and Internet of Things (IoT) concept.
- ii. To develop a prototype that measure and monitor the temperature of vehicle condition
- iii. To test the user acceptance of current car condition

## **1.4 Scope**

This scope of the project is focuses on the

- i. Using temperature sensor attached on Arduino circuit as physical hardware and mobile application connected via wireless technologies to view data and receive notification if overheated occurred.
- ii. The application keeps the information of temperature sensor and stored into database.

- iii. This project to analyze current solution and come out with architect design to have seamless integration between Arduino, mobile application and cloud database.

## **1.5 Thesis Organization**

This thesis consists of five chapters that will be describe about the whole project that are currently being developed and studies. Chapter 1 is the introduction that will discuss the overview of project that are currently be doing and latest issue that are being study to overcome the problem related to be counter.

In chapter 2 will discover the literature review that are the comparison of the project that other researcher have been doing to encountered the problem. For this chapter the new proposed improvement method and technique will be introduced to make the current system more usable and flexible to be used.

Chapter 3 will discuss on the methodology applied to achieve the objectives in this study. All the practise method,hardware and software will be clearly state in here how it will going to be used and applied.

Next is chapter 4 that will discover the result and discussion. The result and discussion contains all the outcome and information that have been done in this project to achieve the objective goal in this carried out project.

Lastly , Chapter 5 is the conclusion of the project. This will explained about the sum-up and reached opinion how far the overall project that has been carried out are success to achieved of the goal and how the weakest of the project will be overcome in further studies.

## REFERENCES

- [Tutorial #1] Line Follower Robot with Android and Arduino – Rhesoft. (n.d.). Retrieved May 4, 2018, from <http://blog.rhesoft.com/2015/04/10/tutorial-1-line-follower-robot-with-android-and-arduino/>
- Android based Ultrasonic Distance Meter with Buzzer indication. (n.d.). Retrieved May 4, 2018, from <https://www.projectsof8051.com/android-based-ultrasonic-distance-meter-with-buzzer-indication/>
- Babu, S. (2017). 2. *Related Work. International Journal of Application or Innovation in Engineering & Management*. Retrieved from [www.ijaiem.org](http://www.ijaiem.org)
- Getting Started · React Native. (n.d.). Retrieved December 11, 2018, from <https://facebook.github.io/react-native/docs/getting-started>
- Jyothi Kiran, M., & Ravi Teja, S. (n.d.). VEHICLE HEALTH MONITORING SYSTEM. *International Journal of Engineering Research and Applications (IJERA)* *Www.Ijera.Com*, 2(5), 1162–1167. Retrieved from [www.ijera.com](http://www.ijera.com)
- Maker UNO - Arduino UNO Compatible. (n.d.). Retrieved May 4, 2018, from [https://www.cytron.io/p-maker-uno?gclid=Cj0KCQjw5qrXBRC3ARIsAJq3bwphKK2IjMH5puT0L3ZXaSPeXcm81ww1TIaVzGbsLbD1vJc2aYbeDwaAt6UEALw\\_wcB](https://www.cytron.io/p-maker-uno?gclid=Cj0KCQjw5qrXBRC3ARIsAJq3bwphKK2IjMH5puT0L3ZXaSPeXcm81ww1TIaVzGbsLbD1vJc2aYbeDwaAt6UEALw_wcB)
- Maker Uno User's Manual - Google Docs. (n.d.). Retrieved May 3, 2018, from [https://docs.google.com/document/d/1gJIF-tssdoxk8qAq2aHBmPwVHulFL\\_ISElOhA17Du64/edit](https://docs.google.com/document/d/1gJIF-tssdoxk8qAq2aHBmPwVHulFL_ISElOhA17Du64/edit)
- Malaysia vehicle sales in July second highest in auto industry - Business News | The Star Online. (n.d.). Retrieved from <https://www.thestar.com.my/business/business-news/2018/08/17/vehicles-sales-up-41-in-july/>
- Module, P. (2010). Full-Text. *Hc-05 Bluetooth to Serial Port Module*, 1–13.
- Project 7 – Analog Sensor: Range using Infrared distance sensor – Tutorial by Cytron. (n.d.). Retrieved May 4, 2018, from <https://tutorial.cytron.io/2011/08/10/project-7—analog-sensor-range-using-infrared-distance-sensor/>
- React Native September 2018 (v0.57.0) released. (n.d.). Retrieved December 11, 2018, from <http://www.reactnative.com/react-native-september-2018-v0-57-0-released/>
- Semiconductor, N. (2000). LM35 - Precision Centigrade Temperature Sensors, (November), 1–13.

Shelly, G. B., & Rosenblatt, H. J. (2010). *SYSTEMS ANALYSIS Eighth Edition*. Learning.

*Temperature Sensors*. (n.d.). Retrieved from [http://www.idc-online.com/technical\\_references/pdfs/instrumentation/Temperature\\_Sensors.pdf](http://www.idc-online.com/technical_references/pdfs/instrumentation/Temperature_Sensors.pdf)

Zahid Farid Rosdiadee Nordin, & Ismail, M. (2013). Recent Advances in Wireless Indoor Localization Techniques and System. *Journal of Computer Networks and Communications*, 2013(Article ID 185138), 12. <https://doi.org/10.1155/2013/185138>